



732A




NOTES:


- 1. DIMENSIONS SHOWN FOR REFERENCE ONLY.
- 2. HEX NUT AND FLAT WASHER SUPPLIED UNASSEMBLED.
- 3. MATERIAL:
 HOUSING, HEX NUT COPPER ALLOY, NICKEL PLATED
 INSULATOR HOUSING THERMOPLASTIC, BLACK
 TERMINAL INSULATORS PHENOLIC
 FLAT WASHER STEEL, NICKEL PLATED
 PIN, SPRING, TERMINALS COPPER ALLOY, SILVER PLATED
- 4. IT IS RECOMMENDED THAT THE JACK MOUNTING NUT BE TIGHTENED SNUG BY HAND BEFORE APPLYING A FINAL TIGHTENING TORQUE OF 8-10 LB-IN USING HAND TOOLS ONLY. POWER DRIVER OR IMPACT DRIVERS ARE NOT RECOMMENDED.
 - 5. THESE PRODUCTS ARE RoHS COMPLIANT



-○ CENTER PIN
-○ SLEEVE SHUNT

→ SLEEVE





SCHEMATIC

CUSTOMER DRAWING

						THIS DRAWING DESCRIBES A DESIGN CONSIDERED PROPRIETARY IN NATURE, DEVELOPED AND MANUFACTURED BY SWITCHCRAFT INC. AND IS RELEASED ON A CONFIDENTIAL BASIS FOR IDENTIFICATION PURPOSES ONLY.								
					UNLESS OTHERWISE SPECIFIED	SIZE	٧	VIDTH	MULT		LBS/M		TEMPER	
					1. ALL DIMENSIONS IN INCHES [mm]	FINISH				MATERIAL				
					- TWO PLACE DECIMALS ±0.02 [0.5]	SPEC No. FIRST USED ON SCALE			SPEC No.					
					1							_		®
					- THREE PLACE DECIMALS ±0.005 [0.13]				3:1		7777			八計》
J	28397	06-11-21	PC	TJK		DATE DRAWN	BY	CHKD	APVD				7L 'Q	
						09-27-17	PC	PC	TJK					
Н	27884	05-04-17	PC	TJK		09-27-17		09-27-17	09-27-17		SHEET	1 ()F 1	
REV	ECO NUMBER	DATE	BY	APVD		NAME POWER JACK				PART No				REV
REVISIONS					DO NOT SCALE DRAWING	7_2A SERIES, RoHS				71	2A 722	A 732	2A	J